# 2011 Tacoma Product Information

Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

| ***ENGINE*** | | *2.7L-4CYL* | *4.0L-V6* |
|---|---|---|---|
| Type, Materials | | 2.7-liter inline 4-cylinder, DOHC 16-valve cast iron block with aluminum alloy head with VVT-i | 4.0-liter DOHC EFI V6, 24-valve aluminum block with aluminum alloy head with VVT-i |
| Displacement | | 2,694 cc | 3,956 cc |
| Bore x Stroke | | 3.74 x 3.74 in. | 3.70 x 3.74 in. |
| Compression Ratio | | 9.6:1 | 10.0:1 |
| Horsepower | | 159 hp @ 5,200 rpm | 236 hp @ 5,200 rpm |
| Torque | | 180 lb-ft @ 3,800 rpm | 266 lb-ft @ 4,000 rpm |
| Ignition System | | DIS (Direct) | DIS (Direct) |
| Fuel System | | EFI | EFI |
| Recommended Fuel | | 87 or higher | 87 or higher |
| Emission Certification | | LEV II | LEV II |
| Cab Models | | | |
| 4x2 | Regular Cab | Standard | N/A |
| | Access Cab | Standard | N/A |
| | X-Runner | N/A | Standard |
| PreRunner | Regular Cab | N/A | N/A |
| | Access Cab | Standard | Available |
| | Double Cab | Standard | Available |
| 4x4 | Regular Cab | Standard | N/A |
| | Access Cab | Standard | Available |
| | Double Cab | N/A | Standard |
| EPA Estimated Fuel Economy* (city/highway MPG) | | 21/25 (5-speed manual)<br>18/20 (5-speed manual 4x4)<br>19/25 (4-speed automatic)<br>18/21 (4-speed automatic 4x4) | 15/19 (6-speed manual 4x2/PreRunner)<br>14/18 (6-speed manual 4x4)<br>17/21 (5-speed automatic)<br>16/20 (5-speed automatic 4x4) |

*2011 EPA MPG Estimates. Actual mileage will vary.

Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

| ***DRIVETRAIN*** | | | | | |
|---|---|---|---|---|---|
| Layout | | 4x2 front engine with rear-wheel drive;<br>4x4 front engine with part-time four-wheel drive | | | |
| Transmission Type | | 2.7-liter 4-cylinder with 5-speed manual | 2.7-liter 4-cylinder with 4-speed ECT automatic | 4.0-liter V6 with 6-speed manual | 4.0-liter V6 with 5-speed ECT automatic |
| Gear Ratios | | | | | |
| 1st | | 3.95 | 2.80 | 4.17 | 3.52 |
| 2nd | | 2.06 | 1.53 | 2.19 | 2.04 |
| 3rd | | 1.44 | 1.00 | 1.49 | 1.40 |
| 4th | | 1.00 | 0.71 | 1.19 | 1.00 |
| 5th | | 0.81 | --- | 1.00 | 0.72 |
| 6th | | --- | --- | 0.85 | --- |
| Reverse | | 4.22 | 2.39 | 3.61 | 3.22 |
| Differential Ratio | | | | | |
| 4x2 | | 3.307 | 3.583 | 3.153 | --- |
| PreRunner/4x4 | | 4.100 | 4.100 | 3.727 | 3.727 |
| Cab Models | | | | | |
| 4x2 | Regular Cab | Standard | Available | --- | --- |
| | Access Cab | Standard | Available | --- | --- |
| | X-Runner | --- | --- | Standard | --- |
| PreRunner | Regular Cab | --- | --- | --- | --- |
| | Access Cab | --- | Standard | --- | Available |
| | Double Cab | --- | Standard | --- | Available |
| 4x4 | Regular Cab | Standard | Available | --- | --- |
| | Access Cab | Standard | Available | Available | Available |
| | Double Cab | --- | --- | Standard | Available |
| 4x4 Transfer Case Ratio (high/low) | | | 1.00:1/2.57:1 | | |

Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

| ***CHASSIS AND BODY*** | | | | | |
|---|---|---|---|---|---|
| Suspension | - Front | Coil spring independent double wishbone with gas-filled shock absorbers (4x2 – low mount; 4x4/PreRunner – high mount) | | | |
| | - Rear | Leaf spring rigid suspension | | | |
| | - Front Stabilizer Bar Diameter | 1.18 in.<br>1.10 in. (TRD Off-Road package only) | | | |
| | - Rear Stabilizer Bar Diameter | 0.98 (X-Runner only) | | | |
| Steering | - Type | Rack-and-pinion power steering | | | |
| | - Overall Ratio | 17.4/17.3 (4x2/PreRunner and 4x4) | | | |
| | - Turns (lock to lock) | 3.43 turns (4x2)<br>3.64 turns (PreRunner, and all 4x4) | | | |
| | - Turning Circle Diameter (curb to curb) | 4x2/4x4 Reg. Cab:<br>4x2/4x4 and PreRunner Access Cab<br>Double Cab and Double Cab Long Bed: | 36.8/36.0 ft.<br>42.0/40.6 ft.<br>40.6/44.0 ft. | | |
| Brakes | - Front - type/diameter | Ventilated disc/10.83 in. (4x2)<br>/12.56 in. (PreRunner and 4x4) | | | |
| | - Front Swept Area (4x2/4x4) | 56.75/61.81 sq in. | | | |
| | - Rear - type/diameter | Leading-Trailing Drum /10.0 in. | | | |
| | - Rear Swept Area (4x2/4x4) | 65.51/61.81 sq in. | | | |
| | - Parking | Pedal Type (Automatic)<br>Stick Type (Manual) | | | |
| Anti-lock Brake System (ABS) | | Brake Conrol System with Anti-lock Brake System (ABS), Electronic Braking Distribution (EBD), Brake Assist (BA), TRAC, VSC and Auto LSD | | | |
| Wheel Size | | 15 in. | 15 in. | 18 in. | 16 in. |
| Wheel Type and Material | | Steel | Styled steel | Alloy | Styled steel |
| Tire Size | | P215/70R15 | P215/70R15 | P255/45R18 | P245/75R16 |
| Type | | All-Season | All-Season | All-Season | Mud & Snow rated |

Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

| ***EXTERIOR DIMENSIONS*** | *4x2 Regular Cab* | *4x2 Access Cab* | *4x2 X-Runner* | *PreRunner Access Cab* | *PreRunner Double Cab* | *4x4 Regular Cab* | *4x4 Access Cab* | *4x4 Double Cab* |
|---|---|---|---|---|---|---|---|---|
| Wheelbase /Long Bed | 109.6 in. | 127.4 in. | 127.4 in. | 127.4 in. | 127.4/ 140.6 in. | 109.6 in. | 127.4 in. | 127.4/ 140.6 in. |
| Overall Length /Long Bed | 190.4 in. | 208.1 in. | 208.1 in. | 208.1 in. | 208.1/ 221.3 in. | 190.4 in. | 208.1 in. | 208.1/ 221.3 in. |
| Overall Width | 72.2in. | 72.2 in. | 74.0 in. | 74.6 in. | 74.6 in. | 74.6 in. | 74.6 in. | 74.6 in. |
| Overall Height | 65.8 in. | 66.1 in. | 66.1 in. | 70.3 in. | 70.1 in. | 69.9 in. | 70.3 in. | 70.1 in. |
| Inside Bed Length /Long Bed | 73.5 in. | 73.5 in | 73.5 in | 73.5 in | 60.3/ 73.5 in. | 73.5 in | 73.5 in | 60.3/ 73.5 in. |
| Inside Bed Depth | 18.0 in. | 18.0 in. | 18.0 in. | 18.0 in. | 18.0 in. | 18.0 in. | 18.0 in. | 18.0 in. |
| Inside Bed Width: | | | | | | | | |
| At Tailgate | 53.4 in. | 53.4 in. | 53.4 in. | 53.4 in. | 53.4 in. | 53.4 in. | 53.4 in. | 53.4 in. |
| At C-Channel | 56.7in. | 56.7in. | 56.7in. | 56.7in. | 56.7in. | 56.7in. | 56.7in. | 56.7in. |
| Between Wheel wells | 41.5 in. | 41.5 in. | 41.5 in. | 41.5 in. | 41.5 in. | 41.5 in. | 41.5 in. | 41.5 in. |
| Tread Width (Front/Rear) | 61.0/61.0 in. | 61.0/61.0 in. | 62.2/62.2 in | 63.0/63.4 in. | 63.0/63.4 in. | 63.0/63.4 in. | 63.0/63.4 in. | 63.0/63.4 in. |
| Ground Clearance | 8.1 in. | 8.1 in. | 8.1 in. | 9.3 in. | 9.3 in. | 9.3 in. | 9.3 in. | 9.3 in. |
| Coefficient of Drag | 0.357 | 0.368 | 0.357<br>0.419 w/Off-Road Pkg | 0.394<br>0.419 w/Off-Road Pkg | 0.394<br>0.419 w/Off-Road Pkg | 0.394<br>0.419 w/Off-Road Pkg | 0.394<br>0.419 w/Off-Road Pkg | 0.394<br>0.419 w/Off-Road Pkg |

| | 4x2 Regular Cab | 4x2 Access Cab (4 cyl) | 4x2 Access Cab (V6) | 4x2 X-Runner | 4x2 Double Cab | 4x4 Regular Cab | PreRunner/ 4x4 Access Cab | PreRunner/ 4x4 Double Cab | PreRunner/4x4 Double Cab Long Bed |
|---|---|---|---|---|---|---|---|---|---|
| Approach | 27 | 27 | 35 | 19 | 27 | 35 | 35 | 35 | 35 |
| Departure | 20 | 20 | 26 | 19 | 20 | 26 | 26 | 26 | 25 |
| Breakover Angle (degrees) | 21 | 20 | 21 | 15 | 20 | 27 | 21 (V6) / 24 (4 cyl) | 21 | 20 |

| ***INTERIOR DIMENSIONS*** | *4x2 Regular Cab* | *4x2 Access Cab* | *4x2 X-Runner* | *PreRunner Access Cab* | *PreRunner Double Cab* | *4x4 Regular Cab* | *4x4 Access Cab* | *4x4 Double Cab* |
|---|---|---|---|---|---|---|---|---|
| Seating Capacity | 3 | 4 | 4 | 4 | 5 | 3 | 4 | 5 |
| Headroom (in.) (Front/Rear) | 40.0/NA | 40.0/35.2 | 40.0/35.2 | 40.0/35.2 | 40.2/38.5 | 40.0/NA | 40.0/35.2 | 40.2/38.5 |
| Legroom (in.) (Front/Rear) | 41.3/NA | 41.3/28.1 | 41.3/28.1 | 41.3/28.1 | 41.7/32.6 | 41.3/NA | 41.7/28.1 | 41.7/32.6 |
| Shoulder Room (in.c) (Front/Rear) | 58.1/NA | 57.7/57.7 | 57.7/57.7 | 57.7/57.7 | 57.7/59.3 | 58.1/NA | 57.7/57.7 | 57.7/59.3 |
| Hip Room (in.) (Front/Rear) | 53.6/NA | 53.6/53.6 | 53.6/53.6 | 53.6/53.6 | 53.6/55.2 | 53.6/NA | 53.6/53.6 | 53.6/55.2 |

Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

| ***WEIGHTS AND CAPACITIES*** | *4x2 Regular Cab* | *4x2 Access Cab* | *4x2 X-Runner* | *4x2Double Cab* | *PreRunner Access Cab* | *PreRunner Double Cab (short/long bed)* | *4x4 Regular Cab* | *4x4 Access Cab* | *4x4 Double Cab (man short bed /auto short bed/ auto long bed)* |
|---|---|---|---|---|---|---|---|---|---|
| Curb Weight (lbs.) (man/auto) | | | | ----/3,665 | | | | | |
| 4-cyl | 3,250/ 3,270 | 3,560/ 3,580 | ------ | | ------ /3,740 | -------- /3,825 | 3,665/ 3,665 | 3,955/ 3,975 | -------- |
| V6 | -------- | -------- | 3,820/------ | | 3,810/ 3,835 | 3,940/ 3,975 | -------- | 4,045/ 4,070 | 4,130/ 4,155/ 4,190 |
| GVWR (lbs.) (man/auto) | 4,600/ 4,650 | 4,900 | 4,700 | 4,900 | 5,250 | 5,250 (4 cyl) / 5,350 (V6) | 5,100 (4 cyl) / 4,900 (V6) | 5,350 | 5,450 |

| | **Regular Cab** | **Access Cab** | **Access Cab V6** | **Double Cab** | **Double Cab V6** |
|---|---|---|---|---|---|
| Payload (man/auto) | | | | | |
| 4x2 | 1,350/1,380 lbs. | 1,340/1,320 lbs. | 895/--- lbs. | ---/1,235 lbs. | --- |
| PreRunner | 1,435/1,380 lbs. | ---/1,510 lbs. | ---/1,415 lbs. | ---/1,425 lbs. | ---/1,430 lbs. |
| 4x4 (man/auto) | --- | 1,395/1,375 lbs. | 1,305/1,280 lbs. | --- | 1,320/1,295 lbs. |
| Long Bed (auto only) (PreRunner/4x4) | | --- | --- | --- | 1,375/1,260 lbs. |

| | **Regular Cab** | **Access Cab/ X-Runner** | **Access Cab V6** | **Double Cab** | **Double Cab V6** |
|---|---|---|---|---|---|
| Maximum Towing Weight | 3,500 lbs. | 3,500 lbs. | 3,500 lbs. | 3,400 lbs / 3,500 lbs. (PreRunner) | 3,500 lbs. |
| W/ optional hitch | --- | --- | 5,000 lbs. | | 5,000 lbs. |
| W/ optional V6 Tow Prep Package | --- | --- | 6,500 lbs. | --- --- | 6,400 lbs. (short) / 6,300 lbs (long) |
| Maximum Tongue Weight | 350 lbs. | 350 lbs. | 350 lbs. | 350 lbs. | 350 lbs. |
| W/ optional hitch | --- | --- | 500 lbs. | --- | 500 lbs. |
| W/ optional V6 Tow Prep Package | --- | --- | 650 lbs. | --- | 640 lbs. (short) / 630 lbs. (long) |
| Gross Combined Weight Rating | | | | | |
| 4x2 | 7,500 lbs. | 7,500 lbs. | 7,500 lbs. | 7,500 lbs. | --- |
| PreRunner and 4x4/ with Tow Prep Package | 8,000 lbs. | 8,000 lbs. | 8,100/11,100 lbs. | 8,000 lbs. | 8,100/11,100 lbs. |

| | |
|---|---|
| Fuel Capacity | 21.1 gal. |
| Engine Oil | 5.4 qt. (2.7-liter 4-cyl.)<br>4.4/5.2 (4.0-liter V6 (4x2/PreRunner and 4x4) |
| Cooling System | 9.1/9.2 qt. (2.7-liter automatic/manual)<br>10.1/10.3 qt. (4.0-liter automatic/manual) |

Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

| ***EXTERIOR FEATURES*** | 4x2 Regular | 4x4 Regular | 4x2 Access | PreRunner/4x4 Access | X-Runner Access | 4X2 Double | PreRunner/ 4x4 Double |
|---|---|---|---|---|---|---|---|
| Fiber-reinforced Sheet-Molded Composite (SMC) inner bed with steel outer panels, storage compartments, rail caps and removable tailgate | S | S | S | S | S | S | S |
| Deck rail system with 4 adjustable tie-down cleats | S | S | S | S | S | S | S |
| 115V/400-watt deck-mounted Powerpoint | --- | --- | --- | A | S | --- | A |
| Dual rear-hinged access doors | --- | --- | S | S | S | --- | --- |
| Argent grille insert/surround, black door handles, mirrors, front and rear bumpers | S | S | S | S | --- | S | S |
| Black overfenders | --- | S | --- | S | --- | S | S |
| Front skid plate | --- | S | --- | S | --- | --- | S |
| Engine skid plate | --- | S | --- | A | --- | --- | A |
| Fog lamps (V6 Only) | --- | --- | --- | A | S | --- | A |
| Power Outside Mirrors | --- | --- | A | A | S | S | S |
| Color-keyed hood scoop | --- | --- | --- | A | S | --- | A |
| Color-keyed front bumper, overfenders and chrome rear bumper | --- | --- | A | A | --- | A | A |
| Front and rear mudguards | --- | S | --- | S | --- | --- | S |
| Rear mudguards only | S | --- | S | --- | --- | S | --- |
| Color-keyed bumpers, overfenders, grille surround & door handles | --- | --- | --- | A | --- | --- | A |
| Color-keyed bumpers, overfenders, grille insert / surround, door handles, power mirrors and body kit | --- | --- | --- | --- | S | --- | --- |
| X-brace-tuned suspension with gas-filled Bilstein® shock absorbers and rear stabilizer bar | --- | --- | --- | --- | S | --- | --- |
| 2-Speed windshield wipers | S | S | S | S | --- | S | S |
| Variable-speed windshield wipers | --- | --- | A | A | S | A | A |
| Sliding rear window | O | O | --- | --- | --- | --- | --- |
| Sliding rear window with privacy glass | --- | --- | A | A | S | A | A |
| 2-Fixed cargo bed tie-down points | S | S | S | S | S | S | S |
| 15-in. styled steel wheels with P215/70R15 tires | S | --- | S | --- | --- | S | --- |
| 16-in. styled steel wheels with P245/75R16 tires | --- | S | --- | S | --- | --- | S |
| 16-in. alloy wheels with P245/75R16 tires | --- | --- | --- | O | --- | --- | O |
| 16-in. alloy wheels with P265/70R16 tires | --- | --- | --- | A | --- | --- | A |

Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

| ***EXTERIOR FEATURES – CONT*** | 4x2 Regular | 4x4 Regular | 4x2 Access | PreRunner/4x4 Access | X-Runner Access | 4X2 Double | PreRunner/ 4x4 Double |
|---|---|---|---|---|---|---|---|
| 17-in. alloy wheels with P265/65R17 tires | --- | --- | --- | A (V6) | --- | --- | A |
| 18-in. alloy wheels with 255/45R18 Bridgestone Potenza RE 050A tires | --- | --- | --- | --- | S | --- | --- |
| Full-size spare tire | S | S | S | S | S | S | S |

S = Standard equipment. O = Standalone option. A = Available via package. O&A = Standalone and via package. --- = Not available.

* Overfenders on SR5, TRD Sport, and TRD Off-Road Packages are color-keyed

| ***INTERIOR FEATURES*** | 4x2 Regular | 4x4 Regular | 4x2 Access | PreRunner/4x4 Access | X-Runner Access | 4X2 Double | PreRunner/ 4x4 Double |
|---|---|---|---|---|---|---|---|
| Air conditioning | S | S | S | S | S | S | S |
| Cruise control | --- | --- | A | A | S | A | A |
| Cloth-faced tilt-forward bench seat with adjustable headrests | S | S* / --- | --- | --- | --- | --- | --- |
| Fabric-trimmed front bucket seats with passenger-side fold-flat seat, adjustable headrests and center console | --- | --- / S** | S | S | --- | S | S |
| Driver's seat with adjustable lumbar support | --- | --- | A | A | --- | S | S |
| Sport seats with Sport fabric trim and driver's-seat adjustable lumbar support (passenger side fold flat feature delete) | --- | --- | --- | A | S | --- | A |
| Fold-up rear seats with under-seat storage | --- | --- | S | S | S | --- | --- |
| 60/40 split rear bench seat with adjustable headrests and under-seat storage | --- | --- | --- | --- | --- | S | S |
| Rear bulkhead storage | --- | --- | --- | --- | --- | S | S |
| Overhead console with maplamps, garage door opener bin and sunglass holder | --- | --- | S | S | S | S | S |
| Full carpeting | S | S | S | S | S | S | S |
| Power windows and door locks | --- | --- | S | S | S | S | S |
| Remote keyless entry system | --- | --- | A | A | S | A | A |
| Leather-wrapped steering wheel and shift lever | --- | --- | A | A | S | A | A |
| LED-illuminated gauges with speedometer, tachometer, coolant temperature gauge, fuel gauge, digital clock and tripmeter | S | S | S | S | S | S | S |
| Tailgate-handle integrated backup camera linked with an auto-dimming mirror with monitor | --- | --- | A | A | S | A | A |
| Tilt/telescopic steering wheel | S | S | S | S | S | S | S |

Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

| ***INTERIOR FEATURES – CONT*** | 4x2 Regular | 4x4 Regular | 4x2 Access | PreRunner/4x4 Access | X-Runner Access | 4X2 Double | PreRunner/ 4x4 Double |
|---|---|---|---|---|---|---|---|
| Rear-seat heater vents | --- | --- | --- | --- | --- | S | S |
| Dual 12V auxiliary power outlets (one, plus cigarette lighter) | S | S | S | S | S | S | S |
| Sun visors with passenger-side vanity mirror | S | S | S | S | --- | S | S |
| Fabric-trimmed sun visors with sliding extensions and vanity mirror | --- | --- | A | A | S | A | A |
| Sculpted door trim with two bottle holders | S | S | S | S | S | S | S |
| Three front cup holders (Two front cup holders on bench seat models) | S | S | S | S | S | S | S |
| Dual rear cup holders | --- | --- / S** | S | S | S | S | S |

S = Standard equipment. O = Standalone option. A = Available via package. O&A = Standalone and via package. --- = Not available.
S* = Standard in 5-speed manual only. S** = Standard in 4-Speed automatic only.

| ***AUDIO SYSTEM*** | 4x2 Regular | 4x4 Regular | 4x2 Access | PreRunner/4x4 Access | X-Runner Access | 4X2 Double | PreRunner/ 4x4 Double |
|---|---|---|---|---|---|---|---|
| AM/FM CD with MP3/WMA playback capability, six speakers (including two ceiling-mounted speakers on Access Cab, four speakers on Regular Cab), & auxiliary audio jack | S | S | S | S | --- | S | S |
| AM/FM CD with MP3/WMA playback capability, seven speakers including two ceiling-mounted speakers and subwoofer, & auxiliary audio jack | --- | --- | O | O | S | --- | --- |
| AM/FM CD with 6-disc in-dash CD changer, MP3/WMA playback capability, seven speakers including two ceiling-mounted speakers and subwoofer, auxiliary audio jack, & XM Radio (includes 90-day trial subscription) | --- | --- | O | O | O | --- | --- |
| AM/FM CD with 6-disc in-dash CD changer, MP3/WMA playback capability, six speakers, auxiliary audio jack, & XM Radio (includes 90-day trial subscription) | --- | --- | --- | --- | --- | O | O |
| JBL® Audio with AM/FM CD with 6-disc in-dash CD changer, MP3/WMA playback capability, six speakers and subwoofer, auxiliary audio jack, Bluetooth®, & XM Radio (includes 90-day trial subscription) | --- | --- | --- | --- | --- | --- | A |

Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

S = Standard equipment. O = Standalone option. A = Available via package. O&A = Standalone and via package. --- = Not available.

[2] Requires SR5, TRD Off-Road or TRD Sport Package

| ***STANDARD MECHANICAL FEATURES*** |
|---|
| • Coil Spring Double Wishbone Suspension |
| • Rear leaf spring suspension with staggered outboard-mounted gas shock absorbers |
| • Automatic Limited Slip Differential (Auto LSD) |
| • Variable Assist Power Rack & Pinion Steering |
| • Gated automatic transmission shifter (automatic transmission only) |
| • Clutch-start cancel (4x4 manual transmission only) |

| ***STANDARD SAFETY AND SECURITY*** |
|---|
| • Star Safety System - includes Vehicle Stability Control (VSC), Traction Control (TRAC), Anti-lock Brake System (ABS) with Electronic Brake-force Distribution (EBD), & Brake Assist |
| • Driver and front passenger Advanced Airbag System |
| • Driver and front passenger seat-mounted side airbags, front and rear side curtain airbags |
| • Driver and front passenger active headrests |
| • Driver and front passenger seatbelts with pretensioner, force limiters and adjustable shoulder anchors |
| • 3-point seatbelts for all seating positions; Driver-side Emergency Locking Retractor (ELR) and Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger belts |
| • Side-impact door beams in all doors |
| • LATCH (Lower Anchors and Tethers for Children) includes lower anchors for front passenger seat on Regular Cab 4X4 Automatic, Access Cab and rear outboard seats on Double Cab |
| • LATCH (Lower Anchors and Tethers for Children) includes top tether anchor for passenger and center front seat on Regular Cab with bench seat, front passenger seat on Regular Cab 4X4 Automatic, Access Cab, and all rear seating positions on Double Cab |
| • Child protector rear door locks – Double Cab models |
| • Tire Pressure Monitor System |

Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

| ***PACKAGES*** | 4x2 Regular | 4x4 Regular | 4x2 Access | PreRunner/4x4 Access | X-Runner Access | 4X2 Double | PreRunner/ 4x4 Double |
|---|---|---|---|---|---|---|---|
| V6 Tow Package: Class 4 Hitch, Transmission and Supplemental Oil Coolers (Transmission Cooler not available on Manual Transmission models), 130A Alternator, Heavy Duty Battery, 7-Pin Connector w/Converter | --- | --- | --- | A (V6) | --- | --- | A (V6) |
| Double Cab Convenience Extra Value Package: Remote Keyless Entry System, Cruise Control, Sliding Rear Window with Privacy Glass, Steering Wheel Audio Controls | --- | --- | --- | --- | --- | A | A |
| Access Cab Convenience Package: Power Mirrors, Remote Keyless Entry System, Cruise Control, Sliding Rear Window with Privacy Glass, Steering Wheel Audio Controls | --- | --- | A | A | --- | --- | --- |
| SR5 Extra Value Package: Power Outside Mirrors (Access Cab models only), Remote Keyless Entry System, Cruise Control, Variable Speed Wipers, Chrome Grille Surround & Rear Bumper, Color-Keyed Front Bumper & Overfenders, Fog Lamps (V6 models only), Sliding Rear Window with Privacy Glass, Bucket Seats with Driver Lumbar Support, SR5 Fabric Trim, Metallic Tone Instrument Panel Trim, Leather-Wrapped Steering Wheel with Audio Controls & Leather-Wrapped Shifter (A/T models only), Dual Sunvisors with Mirrors & Extenders, Tailgate-handle integrated backup camera linked with an auto-dimming mirror with monitor, SR5 Badge | --- | --- | A | A | --- | A | A |
| SR5 Extra Value Package With JBL® Audio: SR5 package plus JBL® Audio with AM/FM CD with 6-disc in-dash CD changer, MP3/WMA playback capability, six speakers and subwoofer, auxiliary audio jack, Leather-Wrapped Steering Wheel with Audio & Bluetooth Controls, Bluetooth®, & XM Radio (includes 90-day trial subscr.) | --- | --- | --- | --- | --- | --- | A (V6) |

Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

| ***PACKAGES – CONT*** | 4x2 Regular | 4x4 Regular | 4x2 Access | PreRunner/4x4 Access | X-Runner Access | 4X2 Double | PreRunner/ 4x4 Double |
|---|---|---|---|---|---|---|---|
| TRD Off-Road Extra Value Package: Off-road Tuned Suspension with Bilstein Shocks, Locking Rear Differential, 16" Alloy Wheels with P265/70R16 BF Goodrich Tires, VSC+ATRAC in place of Standard VSC+TRAC (4X4 models only) with Hill Start Assist Control (HAC) and Downhill Assist Control (DAC) (HAC & DAC available on 4X4 Automatic Transmission models only), Engine Skid Plate, Front Tow Hook, 115V/400W Deck Powerpoint, Fog Lamps, Power Outside Mirrors (Acces Cab models only), Remote Keyless Entry System, Cruise Control, Variable Speed Wipers, Overhead Console with Compass & Temperature Gauge, Chrome Grille Surround & Rear Bumper, Color-Keyed Front Bumper & Overfenders, Smoked Headlamp Trim, Sliding Rear Window with Privacy Glass, Sport Seats with Driver Lumbar Support and Sport Fabric Trim in place of Standard Bucket Seats (passenger side fold flat feature delete), Metallic Tone Instrument Panel Trim, Leather-Wrapped Steering Wheel with Audio Controls & Leather-Wrapped Shifter (A/T models only), Dual Sunvisors with Mirrors & Extenders, Tailgate-handle integrated backup camera linked with an auto-dimming mirror with monitor, TRD Off-Road Graphics | --- | --- | --- | A (V6) | --- | --- | A (V6) |
| TRD Off-Road Extra Value Package With JBL® Audio: TRD Off-Road package plus JBL® Audio with AM/FM CD with 6-disc in-dash CD changer, MP3/WMA playback capability, six speakers and subwoofer, auxiliary audio jack, Leather-Wrapped Steering Wheel with Audio & Bluetooth Controls, Bluetooth®, & XM Radio (includes 90-day trial subscription) | --- | --- | --- | --- | --- | --- | A (V6) |
| | | | | | | | |

Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

| ***PACKAGES – CONT*** | 4x2 Regular | 4x4 Regular | 4x2 Access | PreRunner/4x4 Access | X-Runner Access | 4X2 Double | PreRunner/ 4x4 Double |
|---|---|---|---|---|---|---|---|
| TRD Sport Extra Value Package: Sport Suspension with Bilstein Shocks, 17" Alloy Wheels with P265/65R17 Tires, Hood Scoop, Color-Keyed Grille Surround/Bumpers/Power Mirrors (Access Cab models only)/Door Handles/Overfenders, Smoked Headlamp Trim, Sliding Rear Window with Privacy Glass, 115V/400W Deck Powerpoint, Fog Lamps, Remote Keyless Entry, Cruise Control, Variable Speed Wipers, Overhead Console with Compass & Temperature Gauge, Sport Seats with Driver Lumbar Support and Sport Fabric Trim in place of Standard Bucket Seats (passenger side fold flat feature delete), Metallic-Tone Instrument Panel Trim, Leather-Wrapped Steering Wheel with Audio Controls & Shifter (A/T models only), Dual Sunvisors with Mirrors & Extenders, Tailgate-handle integrated backup camera linked with an auto-dimming mirror with monitor, TRD Sport Graphics | --- | --- | --- | A (V6) | --- | --- | A (V6) |
| TRD Sport Extra Value Package With JBL® Audio: TRD Off-Road package plus JBL® Audio with AM/FM CD with 6-disc in-dash CD changer, MP3/WMA playback capability, six speakers and subwoofer, auxiliary audio jack, Leather-Wrapped Steering Wheel with Audio & Bluetooth Controls, Bluetooth®, & XM Radio (includes 90-day trial subscription) | --- | --- | --- | --- | --- | --- | A (V6) |
| | | | | | | | |

S = Standard equipment. O = Standalone option. A = Available via package. O&A = Standalone and via package. --- = Not available.
(V6) = Available on V6 only. (SB) = Short bed. (LB) = Long bed. (4X4) = Available on 4X4 only

Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

| ***AVAILABLE EXTERIOR COLORS*** |
|---|
| - Magnetic Gray Metallic |
| - Barcelona Red Metallic |
| - Pyrite Mica |
| - Timberland Mica |
| - Super White |
| - Black |
| - Silver Streak Mica |
| - Speedway Blue |

| ***BASIC LIMITED WARRANTY COVERAGE*** |
|---|
| • 3-year/36,000-mile Comprehensive |
| • 5-year/60,000-mile Powertrain |
| • 5-year/unlimited-mileage Corrosion Perforation |