2012 Tacoma Product Information

Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

ENGINE		*2.7L-4CYL*	*4.0L-V6*
Type, Materials		2.7-liter inline 4-cylinder, DOHC 16-valve cast iron block with aluminum alloy head with VVT-i	4.0-liter DOHC EFI V6, 24-valve aluminum block with aluminum alloy head with VVT-i
Displacement		2,694 cc	3,956 cc
Bore x Stroke		3.74 x 3.74 in.	3.70 x 3.74 in.
Compression Ratio		9.6:1	10.0:1
Horsepower		159 hp @ 5,200 rpm	236 hp @ 5,200 rpm
Torque		180 lb-ft @ 3,800 rpm	266 lb-ft @ 4,000 rpm
Ignition System		DIS (Direct)	DIS (Direct)
Fuel System		EFI	EFI
Recommended Fuel		87 or higher	87 or higher
Emission Certification		LEV II	LEV II
Cab Models			
4x2	Regular Cab	Standard	N/A
	Access Cab	Standard	N/A
	X-Runner	N/A	Standard
PreRunner	Regular Cab	N/A	N/A
	Access Cab	Standard	Available
	Double Cab	Standard	Available
4x4	Regular Cab	Standard	N/A
	Access Cab	Standard	Available
	Double Cab	N/A	Standard
EPA Estimated Fuel Economy* (city/highway MPG)		21/25 (5-speed manual) 18/20 (5-speed manual 4x4) 19/24 (4-speed automatic) 18/21 (4-speed automatic 4x4)	16/21 (6-speed manual 4x2/PreRunner) 15/19 (6-speed manual 4x4) 17/21 (5-speed automatic) 16/21 (5-speed automatic 4x4)

*2011 EPA MPG Estimates. Actual mileage will vary.

Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

DRIVETRAIN					
Layout		4x2 front engine with rear-wheel drive; 4x4 front engine with part-time four-wheel drive			
Transmission Type		2.7-liter 4-cylinder with 5-speed manual	2.7-liter 4-cylinder with 4-speed ECT automatic	4.0-liter V6 with 6-speed manual	4.0-liter V6 with 5-speed ECT automatic
Gear Ratios					
1st		3.95	2.80	4.17	3.52
2nd		2.06	1.53	2.19	2.04
3rd		1.44	1.00	1.49	1.40
4th		1.00	0.71	1.19	1.00
5th		0.81	---	1.00	0.72
6th		---	---	0.85	---
Reverse		4.22	2.39	3.61	3.22
Differential Ratio					
4x2		3.307	3.583	3.153	---
PreRunner/4x4		4.100	4.100	3.727	3.727
Cab Models					
4x2	Regular Cab	Standard	Available	---	---
	Access Cab	Standard	Available	---	---
	X-Runner	---	---	Standard	---
PreRunner	Regular Cab	---	---	---	---
	Access Cab	---	Standard	---	Available
	Double Cab	---	Standard	---	Available
4x4	Regular Cab	Standard	Available	---	---
	Access Cab	Standard	Available	Available	Available
	Double Cab	---	---	Standard	Available
4x4 Transfer Case Ratio (high/low)			1.00:1/2.57:1		

Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

CHASSIS AND BODY					
Suspension	- Front	Coil spring independent double wishbone with gas-filled shock absorbers (4x2 – low mount; 4x4/PreRunner – high mount)			
	- Rear	Leaf spring rigid suspension			
	- Front Stabilizer Bar Diameter	1.18 in. 1.10 in. (TRD Off-Road package only)			
	- Rear Stabilizer Bar Diameter	0.98 (X-Runner only)			
Steering	- Type	Rack-and-pinion power steering			
	- Overall Ratio	17.4/17.3 (4x2/PreRunner and 4x4)			
	- Turns (lock to lock)	3.43 turns (4x2) 3.64 turns (PreRunner, and all 4x4)			
	- Turning Circle Diameter (curb to curb)	4x2/4x4 Reg. Cab: 4x2/4x4 and PreRunner Access Cab: X-Runner: Double Cab and Double Cab Long Bed:	36.8/36.0 ft. 42.0/40.6 ft. 42.7 ft 40.6/44.0 ft.		
Brakes	- Front - type/diameter	Ventilated disc/10.83 in. (4x2) /12.56 in. (PreRunner and 4x4)			
	- Front Swept Area (4x2/4x4)	56.75/61.81 sq. in.			
	- Rear - type/diameter	Leading-Trailing Drum /10.0 in.			
	- Rear Swept Area (4x2/4x4)	65.51/61.81 sq. in.			
	- Parking	Pedal Type (Automatic) Stick Type (Manual)			
Anti-lock Brake System (ABS)		Brake Control System with Anti-lock Brake System (ABS), Electronic Braking Distribution (EBD), Brake Assist (BA), TRAC, VSC and Auto LSD			
Wheel Size		15 in.	15 in.	18 in.	16 in.
Wheel Type and Material		Steel	Styled steel	Alloy	Styled steel
Tire Size		P215/70R15	P215/70R15	P255/45R18	P245/75R16
Type		All-Season	All-Season	All-Season	Mud & Snow rated

Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

EXTERIOR DIMENSIONS	*4x2 Regular Cab*	*4x2 Access Cab*	*4x2 X-Runner*	*PreRunner Access Cab*	*PreRunner Double Cab*	*4x4 Regular Cab*	*4x4 Access Cab*	*4x4 Double Cab*
Wheelbase /Long Bed	109.6 in.	127.4 in.	127.4 in.	127.4 in.	127.4/ 140.6 in.	109.6 in.	127.4 in.	127.4/ 140.6 in.
Overall Length /Long Bed	190.4 in.	208.1 in.	208.1 in.	208.1 in.	208.1/ 221.3 in.	190.4 in.	208.1 in.	208.1/ 221.3 in.
Overall Width	72.2in.	72.2 in.	74.0 in.	74.6 in.	74.6 in.	74.6 in.	74.6 in.	74.6 in.
Overall Height	65.7 in.	66.1 in.	65.6 in.	70.3 in.	70.1 in.	69.9 in.	70.3 in.	70.1 in.
Inside Bed Length /Long Bed	73.5 in.	73.5 in.	73.5 in.	73.5 in.	60.3/ 73.5 in.	73.5 in.	73.5 in.	60.3/ 73.5 in.
Inside Bed Depth	18.0 in.	18.0 in.	18.0 in.	18.0 in.	18.0 in.	18.0 in.	18.0 in.	18.0 in.
Inside Bed Width:								
At Tailgate	53.4 in.	53.4 in.	53.4 in.	53.4 in.	53.4 in.	53.4 in.	53.4 in.	53.4 in.
At C-Channel	56.7 in.	56.7 in.	56.7 in.	56.7 in.	56.7 in.	56.7 in.	56.7 in.	56.7 in.
Between Wheel wells	41.5 in.	41.5 in.	41.5 in.	41.5 in.	41.5 in.	41.5 in.	41.5 in.	41.5 in.
Tread Width (Front/Rear)	61.0/61.0 in.	61.0/61.0 in.	62.2/62.2 in.	63.0/63.4 in.	63.0/63.4 in.	63.0/63.4 in.	63.0/63.4 in.	63.0/63.4 in.
Ground Clearance (AT diff)	7.9 in.	7.9 in.	7.3 in.	9.1 in.	9.1 in.	9.1 in.	9.1 in.	9.1 in.
Coefficient of Drag	0.357	0.368	0.357 0.419 w/Off-Road Pkg	0.394 0.419 w/Off-Road Pkg	0.394 0.419 w/Off-Road Pkg	0.394 0.419 w/Off-Road Pkg	0.394 0.419 w/Off-Road Pkg	0.394 0.419 w/Off-Road Pkg

	4x2 Regular Cab	4x2 Access Cab (4 cyl)	4x2 Access Cab (V6)	4x2 X-Runner	4x2 Double Cab	4x4 Regular Cab	PreRunner/ 4x4 Access Cab	PreRunner/ 4x4 Double Cab	PreRunner/4x4 Double Cab Long Bed
Approach	27	27	35	19	27	35	35	35	35
Departure	20	20	26	19	20	26	26	26	25
Breakover Angle (degrees)	21	20	21	15	20	27	27	21	20

INTERIOR DIMENSIONS	*4x2 Regular Cab*	*4x2 Access Cab*	*4x2 X-Runner*	*PreRunner Access Cab*	*PreRunner Double Cab*	*4x4 Regular Cab*	*4x4 Access Cab*	*4x4 Double Cab*
Seating Capacity	3	4	4	4	5	3	4	5
Headroom (in.) (Front/Rear)	40.0/NA	40.0/34.9	40.0/34.9	40.0/34.9	40.2/38.4	40.0/NA	40.0/34.9	40.2/38.4
Legroom (in.) (Front (Bucket Seat) /Rear)	41.7/NA	41.7/24.7	41.7/24.7	41.7/24.7	41.7/32.7	41.7/NA	41.7/24.7	41.7/32.7
Shoulder Room (in.) (Front/Rear)	58.1/NA	57.7/55.7	57.7/55.7	57.7/55.7	57.7/58.7	58.1/NA	57.7/55.7	57.7/58.7
Hip Room (in.) (Front/Rear)	53.6/NA	53.5/52.7	53.5/52.7	53.5/52.7	53.5/54.6	53.6/NA	53.5/52.7	53.5/54.6

Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

WEIGHTS AND CAPACITIES	*4x2 Regular Cab*	*4x2 Access Cab*	*4x2 X-Runner*	*4x2Double Cab*	*PreRunner Access Cab*	*PreRunner Double Cab (short/long bed)*	*4x4 Regular Cab*	*4x4 Access Cab*	*4x4 Double Cab (man short bed /auto short bed/ auto long bed)*
Curb Weight (lbs.) (man/auto)									
4-cyl	3,315/ 3,335	3,605/ 3,625	------	----/3,705	------ /3,785	-------- /3,865	3,700/ 3,755	4,000/ 4,020	--------
V6	--------	--------	3,835/------		------ /3,865	-------- /3,950	--------	4,075/ 4,100	4,160/ 4,185/ 4,220
GVWR (lbs.) (man/auto)	4,650/ 4,650	4,900	4,700	4,900	5,250	5,250 (4 cyl) / 5,400 (V6)	5,100 (4 cyl)	5,350	5,500

	Regular Cab	**Access Cab**	**Access Cab V6**	**Double Cab**	**Double Cab V6**
Payload (man/auto)					
4x2	1,335/1,315 lbs.	1,295/1,275 lbs.	---	---/1,195 lbs.	---
PreRunner	---	---/1,385 lbs.	---/1,535 lbs.	---/1,385 lbs.	---/1,450 lbs.
4x4 (man/auto)	---	1,275/1,250 lbs.	1,425/1,400 lbs.	---	1,340/1,315 lbs.
Long Bed (auto only) (PreRunner/4x4)	---	---	---	---	1,395/1,280 lbs.

	Regular Cab	**Access Cab/ X-Runner**	**Access Cab V6**	**Double Cab**	**Double Cab V6**
Maximum Towing Weight	3,500 lbs.	3,500 lbs. / 3,300 lbs. (X-Runner)	3,500 lbs.	3,400 lbs / 3,500 lbs. (PreRunner)	3,500 lbs.
W/ optional V6 Tow Prep Package	---	---	6,500 lbs.	---	6,500 lbs. (short) / 6,400 lbs (long)
	---	---		---	
Maximum Tongue Weight	350 lbs.	350 lbs.	350 lbs.	340 lbs / 350 lbs.	350 lbs.
W/ optional V6 Tow Prep Package	---	---	650 lbs.	---	650 lbs. (short) / 640 lbs. (long)
	---	---	---	---	
Gross Combined Weight Rating					
4x2	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	---
PreRunner and 4x4/ with Tow Prep Package	8,000 lbs.	8,000 lbs.	8,100/11,100 lbs.	8,000 lbs.	8,100/11,100 lbs.

Fuel Capacity	21.1 gal.
Engine Oil	5.4 qt. (2.7-liter 4-cyl.) 4.4/5.2 (4.0-liter V6 (4x2/PreRunner and 4x4))
Cooling System	9.1/9.2 qt. (2.7-liter automatic/manual) 10.1/10.3 qt. (4.0-liter automatic/manual)

Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

EXTERIOR FEATURES	4x2 Regular	4x4 Regular	4x2 Access	PreRunner/4x4 Access	X-Runner Access	4X2 Double	PreRunner/ 4x4 Double
Fiber-reinforced Sheet-Molded Composite (SMC) inner bed with steel outer panels, storage compartments, rail caps and removable tailgate	S	S	S	S	S	S	S
Deck rail system with 4 adjustable tie-down cleats	S	S	S	S	S	S	S
115V/400-watt deck-mounted Powerpoint	---	---	---	A	S	---	A
Dual rear-hinged access doors	---	---	S	S	S	---	---
Black grille insert/ Argent surround, black door handles, mirrors, front and rear bumpers	S	S	S	S	---	S	S
Black overfenders	---	S	---	S	---	S	S
Front skid plate	---	---	---	A	---	---	A
Engine skid plate	---	S	---	S	---	---	S
Fog lamps (V6 Only)	---	---	---	A	S	---	A
Power Outside Mirrors	---	---	A	A	S	S	S
Color-keyed hood scoop	---	---	---	A	S	---	A
Color-keyed front bumper, overfenders and chrome rear bumper	---	---	A	A	---	A	A
Front and rear mudguards	---	S	---	S	---	---	S
Rear mudguards only	S	---	S	---	---	S	---
Color-keyed bumpers, overfenders, grille surround & door handles	---	---	---	A	---	---	A
Color-keyed bumpers, overfenders, grille insert / surround, door handles, power mirrors and body kit	---	---	---	---	S	---	---
X-brace-tuned suspension with gas-filled Bilstein® shock absorbers and rear stabilizer bar	---	---	---	---	S	---	---
2-Speed windshield wipers	S	S	S	S	---	S	S
Variable-speed windshield wipers	---	---	A	A	S	A	A
Sliding rear window	O	O	---	---	---	---	---
Sliding rear window with privacy glass	---	---	A	A	S	A	A
2-Fixed cargo bed tie-down points	S	S	S	S	S	S	S
15-in. styled steel wheels with P215/70R15 tires	S	---	S	---	---	S	---
16-in. styled steel wheels with P245/75R16 tires	---	S	---	S	---	---	S
16-in. alloy wheels with P245/75R16 tires	---	---	---	O	---	---	O
16-in. alloy wheels with P265/70R16 tires	---	---	---	A	---	---	A

Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

EXTERIOR FEATURES – CONT	4x2 Regular	4x4 Regular	4x2 Access	PreRunner/4x4 Access	X-Runner Access	4X2 Double	PreRunner/ 4x4 Double
17-in. alloy wheels with P265/65R17 tires	---	---	---	A (V6)	---	---	A
18-in. alloy wheels with 255/45R18 Bridgestone Potenza RE 050A tires	---	---	---	---	S	---	---
18-in. chrome wheels with 255/45R18 Bridgestone Potenza RE 050A tires				A (V6)			A (V6)
Full-size spare tire	S	S	S	S	S	S	S

S = Standard equipment. O = Standalone option. A = Available via package. O&A = Standalone and via package. --- = Not available.

* Overfenders on SR5, TRD Sport, and TRD Off-Road Packages are color-keyed

INTERIOR FEATURES	4x2 Regular	4x4 Regular	4x2 Access	PreRunner/4x4 Access	X-Runner Access	4X2 Double	PreRunner/ 4x4 Double
Air conditioning	S	S	S	S	S	S	S
Cruise control	---	---	A	A	S	A	A
Cloth-faced tilt-forward bench seat with adjustable headrests	S	S* / ---	---	---	---	---	---
Fabric-trimmed front bucket seats with passenger-side fold-flat seat, adjustable headrests and center console	---	--- / S**	S	S	---	S	S
Driver's seat with adjustable lumbar support	---	---	A	A	---	S	S
Sport seats with Sport fabric trim and driver's-seat adjustable lumbar support (passenger side fold flat feature delete)	---	---	---	A	S	---	A
Fold-up rear seats with under-seat storage	---	---	S	S	S	---	---
60/40 split rear bench seat with adjustable headrests and under-seat storage	---	---	---	---	---	S	S
Rear bulkhead storage	---	---	---	---	---	S	S
Overhead console with maplamps, sunglass holder	---	---	S	S	S	S	S
Full carpeting	S	S	S	S	S	S	S
Power windows and door locks	---	---	S	S	S	S	S
Remote keyless entry system	---	---	A	A	S	A	A
Leather-wrapped steering wheel and shift lever	---	---	A	A	S	A	A
LED-illuminated gauges with speedometer, tachometer, coolant temperature gauge, fuel gauge, digital clock and tripmeter	S	S	S	S	S	S	S

Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

INTERIOR FEATURES – CONT	4x2 Regular	4x4 Regular	4x2 Access	PreRunner/4x4 Access	X-Runner Access	4X2 Double	PreRunner/ 4x4 Double
Tailgate-handle integrated backup camera linked with an auto-dimming mirror with monitor	---	---	A	A	S	A	A
Tilt/telescopic steering wheel	S	S	S	S	S	S	S
Rear-seat heater vents	---	---	---	---	---	S	S
Dual 12V auxiliary power outlets (one, plus cigarette lighter)	S	S	S	S	S	S	S
Sun visors with passenger-side vanity mirror	S	S	S	S	---	S	S
Fabric-trimmed sun visors with sliding extensions and vanity mirror	---	---	A	A	S	A	A
Sculpted door trim with two bottle holders	S	S	S	S	S	S	S
Three front cup holders (Two front cup holders on bench seat models)	S	S	S	S	S	S	S
Dual rear cup holders	---	--- / S**	S	S	S	S	S

S = Standard equipment. O = Standalone option. A = Available via package. O&A = Standalone and via package. --- = Not available.
S* = Standard in 5-speed manual only. S** = Standard in 4-Speed automatic only.

AUDIO SYSTEM	4x2 Regular	4x4 Regular	4x2 Access	PreRunner/4x4 Access	X-Runner Access	4X2 Double	PreRunner/ 4x4 Double
AM/FM CD with MP3/WMA playback capability, six speakers (including two ceiling-mounted speakers on Access Cab, four speakers on Regular Cab), & auxiliary audio jack	S	S	S	S	---	S	S
AM/FM CD with MP3/WMA playback capability, six speakers including two ceiling-mounted speakers and subwoofer, & auxiliary audio jack	---	---	---	---	S	---	---
AM/FM CD, MP3/WMA playback capability, six speakers including two ceiling-mounted speakers and subwoofer (only for C-Cab), auxiliary audio jack, & XM Radio (includes 90-day trial subscription), Bluetooth	---	---	O	O	---	S	S
JBL® Audio with AM/FM CD, MP3/WMA playback capability, six speakers and subwoofer, auxiliary audio jack, Bluetooth®, & XM Radio (includes 90-day trial subscription), Entune™, USB	---	---	---	---	---	---	A (v6)

S = Standard equipment. O = Standalone option. A = Available via package. O&A = Standalone and via package. --- = Not available.
[2] Requires SR5, TRD Off-Road or TRD Sport Package

Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

STANDARD MECHANICAL FEATURES

- Coil Spring Double Wishbone Suspension
- Rear leaf spring suspension with staggered outboard-mounted gas shock absorbers
- Automatic Limited Slip Differential (Auto LSD)
- Variable Assist Power Rack & Pinion Steering
- Gated automatic transmission shifter (automatic transmission only)
- Clutch-start cancel (4x4 manual transmission only)

STANDARD SAFETY AND SECURITY

- Star Safety System - includes Vehicle Stability Control (VSC), Traction Control (TRAC), Anti-lock Brake System (ABS) with Electronic Brake-force Distribution (EBD), & Brake Assist
- Driver and front passenger Advanced Airbag System
- Driver and front passenger seat-mounted side airbags, front and rear side curtain airbags
- Driver and front passenger active headrests
- Driver and front passenger seatbelts with pretensioner, force limiters and adjustable shoulder anchors
- 3-point seatbelts for all seating positions; Driver-side Emergency Locking Retractor (ELR) and Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger belts
- Side-impact door beams in all doors
- LATCH (Lower Anchors and Tethers for Children) includes lower anchors for front passenger seat on Regular Cab 4X4 Automatic, Access Cab and rear outboard seats on Double Cab and Access Cab
- LATCH (Lower Anchors and Tethers for Children) includes top tether anchor for passenger and center front seat on Regular Cab with bench seat, front passenger seat on Regular Cab 4X4 Automatic, Access Cab, and all rear seating positions on Double Cab and Access Cab
- Child protector rear door locks – Double Cab models
- Tire Pressure Monitor System

Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

PACKAGES	4x2 Regular	4x4 Regular	4x2 Access	PreRunner/4x4 Access	X-Runner Access	4X2 Double	PreRunner/ 4x4 Double
V6 Tow Package: Class 4 Hitch, Transmission and Supplemental Oil Coolers (Transmission Cooler not available on Manual Transmission models), 130A Alternator, Heavy Duty Battery, 7-Pin Connector w/Converter	---	---	---	A (V6)	---	---	A (V6)
Double Cab Convenience Package: Remote Keyless Entry System, Cruise Control, Sliding Rear Window with Privacy Glass, Steering Wheel Audio Controls	---	---	---	---	---	A	A
Access Cab Convenience Package: Power Mirrors, Remote Keyless Entry System, Cruise Control, Sliding Rear Window with Privacy Glass, Steering Wheel Audio Controls	---	---	A	A	---	---	---
SR5 Package: Power Outside Mirrors (Access Cab models only), Remote Keyless Entry System, Cruise Control, Variable Speed Wipers, Chrome Grille Surround & Rear Bumper, Color-Keyed Front Bumper & Overfenders, Fog Lamps (V6 models only), Sliding Rear Window with Privacy Glass, Bucket Seats with Driver Lumbar Support, SR5 Fabric Trim, Metallic Tone Instrument Panel Trim, Leather-Wrapped Steering Wheel with Audio Controls & Leather-Wrapped Shifter (A/T models only), Dual Sunvisors with Mirrors & Extenders, Tailgate-handle integrated backup camera linked with an auto-dimming mirror with monitor, SR5 Badge	---	---	A	A	---	A	A

Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

PACKAGES – CONT	4x2 Regular	4x4 Regular	4x2 Access	PreRunner/4x4 Access	X-Runner Access	4X2 Double	PreRunner/ 4x4 Double
TRD Off-Road Package: Off-road Tuned Suspension with Bilstein Shocks, Locking Rear Differential, 16" Alloy Wheels with P265/70R16 BF Goodrich Tires, VSC+ATRAC in place of Standard VSC+TRAC (4X4 models only) with Hill Start Assist Control (HAC) and Downhill Assist Control (DAC) (HAC & DAC available on 4X4 Automatic Transmission models only), Engine Skid Plate, Front Tow Hook, 115V/400W Deck Powerpoint, Fog Lamps, Power Outside Mirrors (Acces Cab models only), Remote Keyless Entry System, Cruise Control, Variable Speed Wipers, Overhead Console with Compass & Temperature Gauge, Chrome Grille Surround & Rear Bumper, Color-Keyed Front Bumper & Overfenders, Sliding Rear Window with Privacy Glass, Sport Seats with Driver Lumbar Support and Sport Fabric Trim in place of Standard Bucket Seats (passenger side fold flat feature delete), Metallic Tone Instrument Panel Trim, Leather-Wrapped Steering Wheel with Audio Controls & Leather-Wrapped Shifter (A/T models only), Dual Sunvisors with Mirrors & Extenders, Tailgate-handle integrated backup camera linked with an auto-dimming mirror with monitor, TRD Off-Road Graphics	---	---	---	A (V6)	---	---	A (V6)

Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

PACKAGES – CONT	4x2 Regular	4x4 Regular	4x2 Access	PreRunner/4x4 Access	X-Runner Access	4X2 Double	PreRunner/ 4x4 Double
TRD Sport Package: Sport Suspension with Bilstein Shocks, 17" Alloy Wheels with P265/65R17 Tires, Hood Scoop, Color-Keyed Grille Surround/ Bumpers/Power Mirrors (Access Cab models only)/Door Handles/Overfenders, Sliding Rear Window with Privacy Glass, 115V/400W Deck Powerpoint, Fog Lamps, Remote Keyless Entry, Cruise Control, Variable Speed Wipers, Overhead Console with Compass & Temperature Gauge, Sport Seats with Driver Lumbar Support and Sport Fabric Trim in place of Standard Bucket Seats (passenger side fold flat feature delete), Metallic-Tone Instrument Panel Trim, Leather-Wrapped Steering Wheel with Audio Controls & Shifter (A/T models only), Dual Sunvisors with Mirrors & Extenders, Tailgate-handle integrated backup camera linked with an auto-dimming mirror with monitor, TRD Sport Graphics	---	---	---	A (V6)	---	---	A (V6)

S = Standard equipment. O = Standalone option. A = Available via package. O&A = Standalone and via package. --- = Not available.
(V6) = Available on V6 only. (SB) = Short bed. (LB) = Long bed. (4X4) = Available on 4X4 only

Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

AVAILABLE EXTERIOR COLORS
- Magnetic Gray Metallic
- Barcelona Red Metallic
- Pyrite Mica
- Spruce Mica
- Super White
- Black
- Silver Streak Mica
- Nautical Blue Metallic

BASIC LIMITED WARRANTY COVERAGE

- 3-year/36,000-mile Comprehensive
- 5-year/60,000-mile Powertrain
- 5-year/unlimited-mileage Corrosion Perforation
- Toyota Care – Complimentary maintenance plan with the purchase or lease of every new Toyota. For 2 years or 25,000 miles, whichever comes first, every new Toyota will be covered for all normal factory scheduled service, as well as 24/7 roadside assistance.